

Package: RRedshiftSQL (via r-universe)

September 1, 2024

Type Package

Title R Interface to the 'Redshift' Database

Version 0.1.2

Date 2016-09-14

Author Michael Treadwell

Maintainer Michael Treadwell <michael.treadwell@interworks.com>

Description Superclasses 'PostgreSQL' connection to help enable full 'dplyr' functionality on 'Redshift'.

License GPL-2

LazyData TRUE

Depends DBI (>= 0.4.1), RPostgreSQL (>= 0.4-1)

Suggests methods

RoxygenNote 5.0.1

Repository <https://mtreadwell.r-universe.dev>

RemoteUrl <https://github.com/mtreadwell/rredshiftsql>

RemoteRef HEAD

RemoteSha 53f422f3d27b0bebbf2dd1c42d67991181da6f01

Contents

RedshiftSQL	2
Index	3

RedshiftSQL

Instantiate a Redshift client

Description

This function creates and initializes a PostgreSQL client with class RedshiftSQLDriver which is simply a superclass of PostgreSQLDriver

Usage

```
RedshiftSQL()
```

Examples

```
## Not run:  
con <- dbConnect(RedshiftSQL(), user="u", password = "p", host="h", dbname="n", port = "5439")  
query <- dbSendQuery(con, "SELECT * FROM table")  
  
## End(Not run)
```

Index

RedshiftSQL, [2](#)